



Material Safety Data Sheet (MSDS) - Diacetone alcohol

1. Chemical Product and Company Identification

Product Name : Diacetone alcohol

 Catalog Codes
 : SLD4321

 CAS#
 : 123-42-2

 RTECS
 : SA9100000

TSCA: TSCA 8(b) inventory: Diacetone alcohol

CI# : Not available.

Synonym : 4-Hydroxy-4-methyl-2-pentanone

Chemical Formula : (CH3)2C(OH)CH2COCH3

COMPANY IDENTIFICATION

Supplier: Pure Chemicals Group.

CHENNAI, TAMILNADU, INDIA

24 Hour Health Emergency (91) 8939878447

(91) 9444038694

Transportation Emergency Phone (91) 8939768680

Company Name	Place	EMERGENCY TELEPHONE NUMBER
Pure Chemicals Group.	India	Day Emergency - 044-26161803-26161809

2. Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Diacetone alcohol	123-42-2	100

Toxicological Data on Ingredients: Diacetone alcohol: ORAL (LD50): Acute: 4000 mg/kg [Rat]. 3959 mg/kg [Mouse]. DERMAL (LD50): Acute: 13500 mg/kg [Rabbit].

3. Hazards Identification

Potential Acute Health Effects:

Very hazardous in case of ingestion. Hazardous in case of skin contact (irritant), of eye contact (irritant), of inhalation. Slightly hazardous in case of skin contact (permeator).

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available.

Page 1 of 7 MSDS - Diacetone alcohol





TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to lungs, mucous membranes. Repeated or prolonged exposure to the substance can produce target organs damage.

4.First Aid Measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

<u>Inhalation:</u> Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

Ingestion:

Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

5. Fire and Explosion Data

Flammability of the Product : Combustible.

Auto-Ignition Temperature : 643°C (1189.4°F)

Flash Points : CLOSED CUP: 56°C (132.8°F). (TAG)

OPEN CUP: 61°C (141.8°F) (TAG).

Page 2 of 7 MSDS - Diacetone alcohol





Flammable Limits : LOWER: 1.8% UPPER: 6.9%

Products of Combustion : These products are carbon oxides (CO, CO2).

Fire Hazards in Presence of Various Substances: Not available.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions:

SMALL FIRE : Use DRY chemical powder.

LARGE FIRE : Use water spray, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards : Not available.

Special Remarks on Explosion Hazards: Not available.

6.Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

Large Spill:

Combustible material. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

7. Handling and Storage

Precautions:

Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. Wear suitable protective clothing In case of insufficient ventilation, wear suitable respiratory equipment If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes

Storage:

Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. Keep container dry. Keep in a cool place.

Page 3 of 7 MSDS - Diacetone alcohol





8. Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection:

Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

TWA: 50 CEIL: 75 (ppm) from ACGIH (TLV) [1995]
TWA: 238 CEIL: 360 (mg/m3) from ACGIH [1995]
Consult local authorities for acceptable exposure limits.

9. Physical and Chemical Properties

Physical state and appearance : Liquid.

Odor : Not available.

Taste : Not available.

Molecular Weight : 116.16 g/mole

Color : Not available.

pH (1% soln/water) : Not available.

Boiling Point : 167.9°C (334.2°F)

Melting Point : -44°C (-47.2°F)

Critical Temperature : Not available.

Specific Gravity : 0.9387 (Water = 1)

Vapor Pressure : 0.97 mm of Hg (@ 20°C)

Vapor Density : 4.01 (Air = 1)
Volatility : Not available.
Odor Threshold : 0.27 ppm
Water/Oil Dist. Coeff. : Not available.

Ionicity (in Water) : Not available.

Dispersion Properties : See solubility in water.

Solubility : Easily soluble in cold water.

Page 4 of 7 MSDS - Diacetone alcohol





10. Stability and Reactivity Data

Stability : The product is stable.

Instability Temperature : Not available.

Conditions of Instability : Not available.

Incompatibility with various substances : Not available.

Corrosivity : Non-corrosive in presence of glass.

Special Remarks on Reactivity : Not available.

Special Remarks on Corrosivity : Not available.

Polymerization : No.

11. Toxicological Information

Routes of Entry : Eye contact. Inhalation. Ingestion.

<u>Toxicity to Animals:</u>

Acute oral toxicity (LD50) : 3959 mg/kg [Mouse]. Acute dermal toxicity (LD50):

13500 mg/kg [Rabbit].

Chronic Effects on Humans : The substance is toxic to lungs, mucous membranes.

Other Toxic Effects on Humans:

Very hazardous in case of ingestion. Hazardous in case of skin contact (irritant), of

inhalation. Slightly hazardous in case of skin contact (permeator).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

12. Ecological Information

Ecotoxicity : Not available.
BOD5 and COD : Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

Page 5 of 7 MSDS - Diacetone alcohol





13.Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14.Transport Information

DOT Classification : CLASS 3: Combustible liquid with a flash point

greater than 37.8C (100F).

Identification : Flammable liquids n.o.s. : UN1148 PG: III

Special Provisions for Transport : Not available.

15. Other Regulatory Information

Federal and State Regulations:

Pennsylvania RTK: Diacetone alcohol Massachusetts RTK: Diacetone alcohol TSCA 8(b)

inventory: Diacetone alcohol

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard

(29 CFR 1910.1200).

Other Classifications:

WHMIS (Canada):

CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F). CLASS D-2B: Material causing other toxic effects (TOXIC).

DSCL (EEC): R36/38- Irritating to eyes and skin.

HMIS (U.S.A.):

Health Hazard : 1
Fire Hazard : 2
Reactivity : 0
Personal Protection : h

National Fire Protection Association (U.S.A.):

Health : 1
Flammability : 2
Reactivity : 0
Specific hazard :

<u>Protective Equipment:</u> Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

Page 6 of 7 MSDS - Diacetone alcohol





16. Other Information

Disclaimer:

The information and recommendations contained herein are, to the best of **Pure Chemicals Group** knowledge and belief, accurate and reliable as of the date issued. You can contact **Pure Chemicals Group** to ensure that this document is the most current available from **Pure Chemicals Group**. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.



Page 7 of 7 MSDS - Diacetone alcohol